

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(TINDAL near GLEN) (SCHENK near JEFFERY)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:04
L2	1779	713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:04
L3	12	2 and generic with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:07
L4	15	configur\$6 with generic with command same network with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:08
L6	576	network with configur\$8 same command same capab\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L7	6	L6 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22
L8	265	network with configur\$8 with command same capab\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L9	1	L8 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22
L10	29	network with configur\$8 with command with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L11	1	L10 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22

L12	42	network with configur\$8 with profile same command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L13	1	L12 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22
L14	336	repository with configuration with (record file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L15	5	L14 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22
L16	0	repository with configuration with (record file) same prior with version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L17	0	L16 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22
L18	47	repository with configuration with (record file) same version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L19	0	L18 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22
L20	188	repository with configuration near (record file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L21	5	L20 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22

L22	19	repository with configuration near (record file) same version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L23	0	L22 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22
L24	31	network with repository with configuration near (record file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L25	1	L24 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22
L26	162	network with (repository database) with configuration near (record file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L27	2	L26 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22
L28	5	network with (repository database) with configuration near (record file) same version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 07:22
L29	0	L28 and @pd>"20050426" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 07:22